

## High Resolution CCD camera - 60 fps

- High resolution - 1 megapixels (1024 x 1024)
- Kodak KAI-01050 1/2" Progressive scan CCD
- Global shutter (Snapshot shutter)
- Fast frame rate - 60 fps at full-resolution
- GigE Vision compliant
- Binning modes



**SMARTER IMAGING FOR BETTER LIVES**  
 Perth: +61 (08) 9242 5411 Sydney: +61 (02) 9905 5551  
 Melbourne: +61 (03) 9384 1775  
 Email: sales@adeptturnkey.com.au  
 Web site: www.adept.net.au

<b>Resolution</b>	1024x1024
<b>Sensor Type</b>	1/2" CCD progressive scan Kodak KAI-01050
<b>Pixel Size (µm)</b>	5.5 x 5.5
<b>Maximum Frame Rate</b>	60 fps at 1000x1000
<b>Lens Mount</b>	C-mount with adjustable back focus
<b>Digital Interface*</b>	GigE Vision 1.0
<b>Interface Type</b>	IEEE 802.3 1000baseT
<b>Exposure Range</b>	50µs to 60s
<b>Region of Interest (ROI)</b>	Independent x and y control; 1 pixel resolution
<b>Binning</b>	Independent H and V control
<b>Imaging Modes</b>	External Trigger, Fixed frame rate, Software trigger
<b>External Trigger Modes</b>	Rising edge, Falling edge, Any edge, Level high, Level low
<b>External Sync Modes</b>	Trigger ready, Trigger input, Exposing, Readout, Imaging, Strobe, GPO
<b>External Trigger/ Sync Connection</b>	mini-SMB and 12-pin Hirose
<b>Monochrome Modes</b>	Mono8, Mono16**
<b>Color Modes</b>	Bayer8, Bayer16, RGB24, YUV411, YUV422, YUV444, BGR24, RGBA24, BGRA24
<b>GPIO</b>	1 isolated TTL input, 3 isolated TTL outputs, RS232 I/O
<b>Power Consumption</b>	5 W (12V)
<b>Housing Size</b>	39x51x63 mm
<b>Weight</b>	169 g
<b>Conformity</b>	CE, FCC, RoHS
<b>SDK</b>	Free - includes sample code and driver

### About the GE1050 / 1050C

The 1 Megapixel GE1050 is a high-resolution CCD camera with Gigabit Ethernet interface (GigE Vision) with very fast frame rate. The GE1050 incorporates the Kodak KAI-01050 CCD running 60 frames per second at 1000 x 1000 resolution and even faster with region of interest readout. The progressive scan architecture and global electronic shutter provide excellent image quality for full motion video and still image capture.

### Applications for the GE1050 include

- industrial inspection
- machine vision
- medical imaging
- public security
- surveillance
- traffic imaging
- OEM applications.

### The Prosilica Advantage

- Image quality
- High reliability
- High performance
- Ultra-Compact
- Ease of use and integration
- Rich set of camera features

\*GigE Vision™ is a trademark of the Automated Imaging Association

\*\*Mono16 is available on monochrome models only

Specifications are subject to change without notice

Please refer to the Prosilica web site for a full list of specifications