

IPD VA40

Multi-Camera Vision Appliance



adept
electronic solutions

**The Machine Vision and
Imaging Specialists**

Perth: +61 (08) 9242 5411
Sydney: +61 (02) 9979 2599
Melbourne: +61 (03) 9555 5621
Email: adept@adept.net.au
Web: <http://www.adept.net.au>

PRODUCT DATASHEET

Overview

The VA40 provides end users and system integrators with a high performance, compact machine vision solution for multiple camera inspections. This product has been designed to offer flexibility, speed and choice of camera to match your application need.

The VA40 provides multiple camera inputs that allow you to inspect different views of the same part, or even different parts, simultaneously. This integrated functionality provides a cost-effective and less complex solution than comparable smart camera implementations. In addition, the unit is compatible with different camera types that afford you flexibility in design and upgrade options as your application needs change.

Interfacing the VA40 is easy. The unit is fully equipped with industrial grade Inputs and Outputs that are broken out to removable screw terminal connectors or opto-isolation modules. Serial communication options include RS-232, USB and Ethernet for connecting into the factory network. All physical connections are located on the VA40 rear panel, with status lights available on the front.

Application setup software is preinstalled and ready to run, thus eliminating installation and revision control problems. The VA40 offers two distinct software interfaces, called iNspec and Sherlock. iNspec provides application versatility and ease-of-use, allowing you to setup and deploy a vision solution in a matter of minutes. For more complex tasks, Sherlock provides even greater flexibility and control, giving you the tools and capabilities at your fingertips to apply to almost any application. An additional benefit of the VA40 is that it supports 3rd party software. This enables you to use the VA40 to control other devices associated with the application.

Flexibility, performance, multiple cameras... with the VA40 vision appliance, integrating machine vision just got a whole lot easier!

Key Features:

- Multiple camera inspections
- No software to install
- Powerful embedded processor ensures fast inspection times
- Rugged system for online or offline inspection
- Choice of camera type and resolution
- Integrates well into factory environments
- Universal solution for end-users, integrators and machine builders



The VA40 is available in two versions, differentiated by performance. The VA40 version accepts up to 4 camera inputs, while the VA41 can accommodate 6. The VA41 has also 3X processing performance. All software is available on both versions.

FEATURES

| FEATURES | | VA40 | | VA41 | |
|---------------|---|--|---|---|---|
| Version | | Standard | | Performance | |
| Memory | Program Storage | 256MB 40GB HD | | 512MB 40GB HD | |
| Acquisition | Analog Cameras: # inputs Format Resolution Digital Cameras: # inputs Format Resolution | Progressive Scan Analog 3 Area scan 640x480 to 1375x1035 IEEE 1394a 1 | | 3 Area Scan 640x480 to 1600x1200 (Consult factory for other options) | |
| Communication | USB Ethernet Serial Visual | 2 x USB 1.1 10/100 Mbps 1 x RS232 7 status indicators | | 2 x USB 2.0 10/100/1000 Mbps | |
| Display | Local | Programmable resolution (1024x768 standard) | | | |
| I/O | Inputs Outputs | 8 Single-ended 24V 8 NPN | | | |
| Software | Version Application | Standard (-03 order code) iNspect iLabel | Full (-04 order code) iNspect iLabel Sherlock | Standard (-03 order code) iNspect iLabel | Full (-04 order code) iNspect iLabel Sherlock |
| Power | Voltage | 24 VDC +/- 5% @ 2.5A | | | |
| Environment | Operating Temp Storage Temp Relative Humidity | 0-40°C -10-85°C 5-90% (non-condensing) | | 0-50°C | |
| Mechanical | Material Dimensions Weight | Aluminum 7.6H x 20W x 21.5L cm 5.6 lbs, 2.5Kg | | | |
| Certification | | CE | | | |

To learn more about VA40, see our website at www.goipd.com/appliances



IPD Headquarters • 700 Technology Park Drive • Billerica, MA • 01821
Email: info@goipd.com • Tel: +1 978.670.2002 • Fax: +1 978.670.2010

Adept Electronic Solutions
www.adept.net.au

PART NO. VA40-M-100-B REVISION 05/07
Copyright © 2007 DALSA. All rights reserved.